

CLAIMS

We claim:

1. A method of delivering a moiety of interest into a cell comprising contacting the cell with a complex comprising the moiety of interest covalently linked to a heat shock protein, under conditions appropriate for entry of the complex into the cell.
2. The method of Claim 1 wherein the heat shock protein is selected from the group consisting of:  
mycobacterial heat shock proteins, human heat shock proteins, yeast heat shock proteins, bacterial heat shock proteins, nonhuman mammalian heat shock proteins, insect heat shock proteins and fungal heat shock proteins.
3. The method of Claim 2 wherein the heat shock protein is a mycobacterial heat shock protein selected from the group consisting of: hsp65, hsp70, hsp60, hsp71, hsp90, hsp100, hsp10-12, hsp20-30, hsp40 and hsp100-200.
4. The method of Claim 3 wherein the moiety is selected from the group consisting of: proteins, peptides, lipids, carbohydrates, glycoproteins and small organic molecules.
5. A method of delivering a moiety of interest into an antigen presenting cell comprising contacting the cell with a complex comprising the moiety of interest covalently linked to a heat shock protein, under conditions appropriate for entry of the complex into the cell.

6. The method of Claim 5 wherein the heat shock protein is selected from the group consisting of:  
mycobacterial heat shock proteins, human heat shock proteins, yeast heat shock proteins, bacterial heat shock proteins, nonhuman mammalian heat shock proteins, insect heat shock proteins and fungal heat shock proteins.
7. The method of Claim 6 wherein the heat shock protein is a mycobacterial heat shock protein selected from the group consisting of: hsp65, hsp70, hsp60, hsp71, hsp90, hsp100, hsp10-12, hsp20-30, hsp40 and hsp100-200.
8. The method of Claim 7 wherein the moiety is selected from the group consisting of: proteins, peptides, lipids, carbohydrates, glycoproteins and small organic molecules.
9. A method of delivering a moiety of interest into a cell capable of taking up a complex comprising the moiety of interest covalently linked to a heat shock protein, comprising contacting the cell with the complex, under conditions appropriate for entry of the complex into the cell.
10. The method of Claim 9 wherein the heat shock protein is selected from the group consisting of:  
mycobacterial heat shock proteins, human heat shock proteins, yeast heat shock proteins, bacterial heat shock proteins, nonhuman mammalian heat shock proteins, insect heat shock proteins and fungal heat shock proteins.

11. The method of Claim 10 wherein the heat shock protein is a mycobacterial heat shock protein selected from the group consisting of: hsp65, hsp70, hsp60, hsp71, hsp90, hsp100, hsp10-12, hsp20-30, hsp40 and hsp100-200.  
5
12. The method of Claim 11 wherein the moiety is selected from the group consisting of: proteins, peptides, lipids, carbohydrates, glycoproteins and small organic molecules.
- 10 13. A method of delivering a moiety of interest into a cell of an individual comprising contacting the cell with a complex comprising the moiety of interest covalently linked to a heat shock protein, under conditions appropriate for entry of the complex into the cell.  
15
14. The method of Claim 13 wherein the heat shock protein is selected from the group consisting of: mycobacterial heat shock proteins, human heat shock proteins, yeast heat shock proteins, bacterial heat shock proteins, nonhuman mammalian heat shock proteins, insect heat shock proteins and fungal heat shock proteins.  
20
15. The method of Claim 14 wherein the heat shock protein is a mycobacterial heat shock protein selected from the group consisting of: hsp65, hsp70, hsp60, hsp71, hsp90, hsp100, hsp10-12, hsp20-30, hsp40 and hsp100-200.  
25
16. The method of Claim 15 wherein the moiety is selected from the group consisting of: proteins, peptides,

lipids, carbohydrates, glycoproteins and small organic molecules.

17. A method of delivering a moiety of interest into an antigen presenting cell of an individual comprising contacting the cell with a complex comprising the moiety of interest covalently linked to a heat shock protein, under conditions appropriate for entry of the complex into the cell.
18. The method of Claim 17 wherein the heat shock protein is selected from the group consisting of: mycobacterial heat shock proteins, human heat shock proteins, yeast heat shock proteins, bacterial heat shock proteins, nonhuman mammalian heat shock proteins, insect heat shock proteins and fungal heat shock proteins.
19. The method of Claim 18 wherein the heat shock protein is a mycobacterial heat shock protein selected from the group consisting of: hsp65, hsp70, hsp60, hsp71, hsp90, hsp100, hsp10-12, hsp20-30, hsp40 and hsp100-200.
20. The method of Claim 19 wherein the moiety is selected from the group consisting of: proteins, peptides, lipids, carbohydrates, glycoproteins and small organic molecules.
21. A method of delivering a moiety of interest into a cell of an individual wherein the cell is capable of taking up a complex comprising the moiety of interest covalently linked to a heat shock protein, comprising contacting the cell with the complex under conditions appropriate for entry of the complex into the cell.

22. The method of Claim 21 wherein the heat shock protein is selected from the group consisting of:  
mycobacterial heat shock proteins, human heat shock proteins, yeast heat shock proteins, bacterial heat shock proteins, nonhuman mammalian heat shock proteins, insect heat shock proteins and fungal heat shock proteins.
23. The method of Claim 22 wherein the heat shock protein is a mycobacterial heat shock protein selected from the group consisting of: hsp65, hsp70, hsp60, hsp71, hsp90, hsp100, hsp10-12, hsp20-30, hsp40 and hsp100-200.
24. The method of Claim 23 wherein the moiety is selected from the group consisting of: proteins, peptides, lipids, carbohydrates, glycoproteins and small organic molecules.